

## Outline

## Expressing Permission

William Starr



Department of Philosophy, Cornell University  
 will.starr@cornell.edu  
<http://williamstarr.net>

May 14th, 2016

- ① Free Choices, Hard Choices
- ② Expressing Permission
- ③ Conclusion

## Free Choice Permission

Early Statement

## Free Choice Permission

In a Concrete Context

## Strong Permission and Free Choice

“If we are told that we may do this thing or that thing, we normally understand this to mean that we may do the one thing but also the other thing. The distribution principle, in other words, would seem to be  $P(p \vee q) \leftrightarrow Pp \& Pq$ . But this principle goes with a different idea of permittedness from the one which obeys the interdefinition schema  $P := \sim O \sim$ . We can call it a notion of **strong permission**. It is related to possibility (**freedom**) of **choice** between alternatives.” (von Wright 1968: 4-5)

## Background

Union members need to vote strategically in a committee election. An election of Anderson to the committee and an election of Brady to the committee will promote the interests of the union. It's impossible to say whether both would do them any better than one. Further, only senior members get to vote for two candidates, while junior members get to vote for just one. One representative has the job of telling their very loyal members how they are permitted to vote.

# Free Choice Permission

## The Narrow Implication

*Authoritative labor representative to union members:*

- (1) a. Members **may** vote for Anderson **or** Brady
- b. Members may vote for Anderson and members may vote for Brady

### Narrow Free Choice Permission (NFC)

$\text{May } (A \vee B) \Rightarrow \text{May } A \wedge \text{May } B$

- ‘ $\Rightarrow$ ’: shorthand for ‘implication’, neutral between semantic consequence and pragmatic implicature (von Wright 1968: 4-5, Kamp 1973)

# Free Choice Permission

## Is Narrow Implication a Cancelable Implicature?

- Implication doesn’t pass standard cancellation test

(2) *Authoritative labor representative:*

- a. Members may vote for Anderson or Brady
  - b. #But members may not vote for  $\left\{ \begin{array}{l} \text{Anderson} \\ \text{Brady} \end{array} \right\}$
- But implication can be ‘defeated’...

# Free Choice Implication

## Defeated by the Ignorant and Rude?

- Ignorance (Kamp 1978: 271)
- (3) *Authoritative labor representative:*
    - a. Members may vote for Anderson or Brady, but I **don’t know which**
    - b. # Members may vote for  $\left\{ \begin{array}{l} \text{Anderson} \\ \text{Brady} \end{array} \right\}$
- Uncooperativeness (Simons 2005: 273)
- (4) *Authoritative labor representative:*
    - a. Members may vote for Anderson or Brady, but I **won’t tell you which**
    - b. # Members may vote for  $\left\{ \begin{array}{l} \text{Anderson} \\ \text{Brady} \end{array} \right\}$
- Open question how best to capture this

# Free Choice Permission

## The Wide Implication

*Authoritative labor representative to union members:*

- (5) a. Members **may** vote for Anderson **or** members **may** vote for Brady
- b. Members may vote for Anderson and members may vote for Brady

### Wide Free Choice Permission (WFC)

$\text{May } A \vee \text{May } B \Rightarrow \text{May } A \wedge \text{May } B$

- ‘ $\Rightarrow$ ’: shorthand for ‘implication’, neutral between semantic consequence and pragmatic implicature (Kamp 1978: 273; Zimmermann 2000; Geurts 2005; Simons 2005)

# Free Choice Permission

Reduce Wide to Narrow? (Simons 2005: 281-2)

- Reduce WFC to NFC via (ATB) movement?
  - $\text{May } A \vee \text{May } B$  transformed to  $\text{May } (A \vee B)$
- Major over-generation problems:
  - (6) *Authoritative labor representative*:
    - a. Members **may** vote for Anderson **and** members **may** vote for Brady
    - b. # Members **may** vote for Anderson **and** Brady
  - $\text{May } A \wedge \text{May } B$  doesn't transform to  $\text{May } (A \wedge B)$ , despite being formally parallel
- Problematic for many accounts

# Modal Orthodoxy

May =  $\diamond$

## Orthodox Possible Worlds Semantics

- 1  $\llbracket A \rrbracket = \{w \mid w(A) = 1\}$
- 2  $\llbracket \neg\phi \rrbracket = W - \llbracket \phi \rrbracket$
- 3  $\llbracket \phi \wedge \psi \rrbracket = \llbracket \phi \rrbracket \cap \llbracket \psi \rrbracket$
- 4  $\llbracket \phi \vee \psi \rrbracket = \llbracket \phi \rrbracket \cup \llbracket \psi \rrbracket$
- 5  $\llbracket \diamond\phi \rrbracket = \{w \mid \exists w': \in R(w, w') \ \& \ w' \in \llbracket \phi \rrbracket\}$ 
  - $R(w, w')$ :  $w'$  is 'accessible' from  $w$

## Classical Truth and Consequence

Truth  $w \models \phi \iff w \in \llbracket \phi \rrbracket$

Consequence  $\phi \models \psi \iff \llbracket \phi \rrbracket \subseteq \llbracket \psi \rrbracket$

# Consequence of the Orthodoxy

Possibility and Disjunction

Fact 1:  $\diamond A \vee \diamond B \neq \diamond (A \vee B)$  and  $\diamond (A \vee B) \neq \diamond A$

- 1 First would require:
  - $\llbracket \diamond A \rrbracket \cup \llbracket \diamond B \rrbracket \subseteq \llbracket \diamond (A \vee B) \rrbracket$
  - But this only holds when  $\llbracket \diamond B \rrbracket = \emptyset$
- 2 Second would require:
  - $\llbracket A \vee B \rrbracket \subseteq \llbracket A \rrbracket$
  - Would hold only when  $\llbracket B \rrbracket = \emptyset$

- Orthodoxy doesn't explain NFC or WFC
- Un-orthodoxy:  $\text{May } (A \vee B)$  is **semantically equivalent** to  $\text{May } A \wedge \text{May } B$  (e.g. Geurts 2005; Simons 2005)

# Dual Prohibition

Good for the Orthodoxy, Bad for the Un-orthodoxy

*Authoritative labor representative to union members:*

- (7) a. Members may not vote for Anderson or Brady
  - b. Members may not vote for Anderson **and** members may not vote for Brady

## Dual Prohibition (DP)

$\neg \text{May } (A \vee B) \Rightarrow \neg \text{May } A \wedge \neg \text{May } B$

(Alonso-Ovalle 2006; Fox 2007)

- Orthodox Explanation:  $\neg \diamond (A \vee B) \models \neg \diamond A \wedge \neg \diamond B$
- More unorthodox semantics or Unorthodox LF/Pragmatics?

# Children’s Knowledge of Free Choice Inferences and Scalar Implicatures

LYN TIEU  
École Normale Supérieure

JACOPO ROMOLI  
University of Ulster

PENG ZHOU  
Macquarie University

STEPHEN CRAIN  
Macquarie University

## The Dilemma

Hard Choices

### More Unorthodox Semantics

- ① Aloni (2007)
  - Semantic explanation of NFC
  - Potential semantic explanation of DP
  - No account of WFC
- ② Barker (2010)
  - Semantic explanation of NFC
  - Pragmatic explanation of DP
  - Evidence for pragmatic account of DP holds for NFC
  - Problematic account of WFC
- ③ Aher (2012); Willer (2015)
  - Semantic explanation of NFC, DP
  - No account of WFC

## Resource Sensitivity

Permission as Partial, Discrete

- (8) *Authoritative labor representative:*
- a. Members may vote for Anderson or Brady
  - b. # Members may vote for both Anderson and Brady
  - c. # Members may not vote for both Anderson and Brady

(Simons 2005; Barker 2010)

### Resource Sensitivity (RS)

- ①  $\text{May}(A \vee B) \not\Rightarrow \text{May}(A \wedge B)$
- ②  $\text{May}(A \vee B) \not\Rightarrow \neg \text{May}(A \wedge B)$

## Resource Sensitivity

Information Comes In and Permissions Expire (Asher & Bonevac 2005: 304)

- (9) *Authoritative labor representative to union:*  
Members may vote for Anderson or Brady
- (10) *Every member just voted for Anderson. Senior members are about to cast additional vote:*  
# Members may vote for Brady

### Resource Sensitivity (RS)

- ①  $\text{May}(A \vee B) \not\Rightarrow \text{May}(A \wedge B)$
- ②  $\text{May}(A \vee B) \not\Rightarrow \neg \text{May}(A \wedge B)$
- ③  $\text{May}(A \vee B), A \not\Rightarrow \text{May} B$

# Resource Sensitivity

Logical Inference Not Welcome!

## New Background

Members need to vote strategically for a two person committee, the only outcome that will promote the union's interests is an Anderson and Brady committee. Neither alone does any good. The ballots have separate bubbles for "Anderson and Brady", "Anderson" and "Brady".

(11) *Authoritative labor representative:*

- a. Members may vote for Anderson and Brady
- b. # Members may vote for  $\left\{ \begin{array}{l} \text{Anderson} \\ \text{Brady} \end{array} \right\}$

# Resource Sensitivity

So Far

## Resource Sensitivity (RS)

- 1 May  $(A \vee B) \not\Rightarrow \text{May } (A \wedge B)$
- 2 May  $(A \vee B) \not\Rightarrow \neg \text{May } (A \wedge B)$
- 3 May  $(A \vee B), A \not\Rightarrow \text{May } B$
- 4 May  $(A \wedge B) \not\Rightarrow \text{May } A, \text{May } B$

# Resource Sensitivity

And Back to Strong Permission

## Newer Background

Members need to vote for a committee, but all choices serve the union's interests equally well. Further, the union has been criticized for controlling their members too much.

# Resource Sensitivity

And Back to von Wright (1968) on Strong Permission

(12) *Authoritative labor representative:*

We will not be permitting or requiring you to vote for any candidate in this election. Do as you wish!

(13) *Paranoid Member:*

I've hear you've forbidden voting for Anderson.

(14) *Authoritative labor representative:*

- a. No, it's not the case that members must not vote for Anderson
- b. # No, you may vote for Anderson

## Weak Permission

What's compatible w/explicit requirements and permissions

## Strong Permission

Explicitly permitted actions; may be none!

# Resource Sensitivity

And Strong Permission

## Resource Sensitivity (RS)

- 1 May  $(A \vee B) \not\Rightarrow$  May  $(A \wedge B)$
- 2 May  $(A \vee B) \not\Rightarrow$   $\neg$ May  $(A \wedge B)$
- 3 May  $(A \vee B), A \not\Rightarrow$  May B
- 4 May  $(A \wedge B) \not\Rightarrow$  May A, May B
- 5  $\neg$ Must  $\neg A \not\Rightarrow$  May A

## Different Starting Point

Expressing permission involves incrementally building a partial plan of what to do, rather than describing what the fully precise permission facts in some world are.

# Basic Dynamic Semantics

Just Information (Veltman 1996)

## Orthodox Picture

- Sentences represent by refer to regions of logical space
- Interpreters use utterances of them to shift to region of logical space within region referred to

## Dynamic Semantics (Purely Informational Version)

- **Sentences**: recipes for moving around logical space
- **Atomics**: zoom in on a particular region
- **Conjunction**: apply each recipe in turn
- **Disjunction**: apply recipes separately; 'merge' results
- **Negation**: remove region scope would zoom to

# The Dynamic Picture

In More Detail

## The Basic Idea

Assign each  $\phi$  a function  $[\phi]$  encoding how it changes  $s$ :  
 $s[\phi] = s'$  (I.e.:  $[\phi](s) = s'$ )

- $s$  is a set of worlds

## Dynamic Informational Semantics (Veltman 1996)

- 1  $s[A] = \{w \in s \mid w(A) = 1\}$
- 2  $s[\neg\phi] = s - s[\phi]$
- 3  $s[\phi \wedge \psi] = (s[\phi])[\psi]$
- 4  $s[\phi \vee \psi] = s[\phi] \cup s[\psi]$

# The Dynamic Picture

How Atomics Provide Information




Figure:  $W[A]$

- Uppercase for True, Lowercase for False
- $\{w_{AB}, w_{Ab}, w_{aB}, w_{ab}\}[A] = \{w_{AB}, w_{Ab}\}$

# The Dynamic Picture

Deontics Don't Inform, They Motivate!



Cyanide and Happiness © Explosm.net

# The Attraction of Expressivism

Deontic Claims Don't Describe Preferences, They Express Them

## Expressivist Theses

- 1 **Communication:** “To express a state of mind is not to say that one is in it” (Gibbard 1986: 473).
- 2 **Explanation:** “The semantic properties of sentences are to be explained, fundamentally, in terms of properties of the attitudes conventionally expressed by utterances of those sentences” (Silk 2014: §1).
- 3 **Non-representation:** The states of mind expressed by sentences are non-representational, and, more specifically, motivational.

# The Dynamic Picture

Extended to Deontics

## Dynamics of Permissions $\pi$

May  $\phi$  is analyzed dynamically in terms of how it updates requirements/permissions  $\pi$ , rather than information  $s$ . (Kamp 1973; Lewis 1979; van Rooij 2000)

## Novel Model of $\pi$

A **practical frame**  $\pi$  consists of:

- $R_\pi$ : requirements, preferences between worlds
- $P_\pi$ : strong permissions, preferences between worlds

- Sentences influence **substates**  $s^\pi := \langle s, \pi \rangle$

# Permission Dynamics

Substates Visualized





Figure: Initial Substate: No Info, Req's or Strong Permissions

- A not strongly permitted, but not forbidden

# Permission Dynamics


Expressing Permission, Simplified



- May A: test whether A is compatible w/ $R_I$ -best worlds
  - Yes: create new P from  $R_I$ , w/preference for A-worlds
  - No: reduce s to  $\emptyset$

# Permission Dynamics

Expressing Permission, Simplified



- May A: test whether A is compatible w/ $R_I$ -best worlds
  - Yes: create new P from  $R_I$ , w/preference for A-worlds
  - No: reduce s to  $\emptyset$

# Permission Dynamics

States versus Substates

## States $S$

A **state**  $S$  is a set of substates  $S = \{s_1^{\pi_1}, \dots, s_n^{\pi_n}\}$

- Each  $s_i^{\pi_j}$  is competing for control of agent's actions and beliefs (Minsky 1985; Brooks 1991)

## Dynamic Connective Semantics (Starr 2016)

- 1  $S[A]$ : eliminate  $\neg A$ -worlds from each substate
- 2  $S[\neg\phi]$ : for each substate,
  - a. Eliminate worlds that would survive update w/ $\phi$
  - b. Remove preferences  $\phi$  would add to  $I$
- 3  $S[\phi \wedge \psi] = (S[\phi])[\psi]$
- 4  $S[\phi \vee \psi] = S[\phi] \cup S[\psi]$

# Permission Dynamics

States Visualized




Figure: Initial State 0



# Disjunction Dynamics

Disjunction Creates Substates




Figure: 0[A ∨ B]

# Permission Dynamics

Expressing Permission also Creates Substates




Figure: 0[May A]

- May A:  $\forall s^\pi \in S$ , test whether A is compatible w/ $R_\pi$ -best worlds
  - Yes: create new P from  $R_\pi$ , w/preference for A-worlds; then **union** set of new substates with S
  - No: reduce every s to  $\emptyset$

# Permission Dynamics

Expressing Permission also Creates Substates




Figure: 0[May B]

- May B:  $\forall s^\pi \in S$ , test whether B is compatible w/ $R_\pi$ -best worlds
  - Yes: create new P from  $R_\pi$ , w/preference for B-worlds; then **union** set of new substates with S
  - No: reduce every s to  $\emptyset$




Figure: 0[May A ∨ May B]

# Towards a Practical Logic

Support and Consequence (Kamp 1973; Veltman 1996; van Rooij 2000)

## Practical Support ( $S \models \phi$ )

$\phi$  doesn't change any of the  $\pi$ 's at play in  $S$

- $S \models \phi \iff \Pi_S = \Pi_{S[\phi]}$
- $\Pi_S = \{\pi \mid \exists s \neq \emptyset: s^\pi \in S\}$

## Practical Consequence ( $\phi_1, \dots, \phi_n \models \psi$ )

After accepting  $\phi_1, \dots, \phi_n$ ,  $\psi$  doesn't change  $\pi$ 's at play

- $\phi_1, \dots, \phi_n \models \psi: \forall S: S[\phi_1] \dots [\phi_n] \models \psi$




Figure:  $0[\text{May } A \vee \text{May } B] \models \text{May } A$

# Explaining Narrow Free Choice

Nothing New Here

- WFC is explained without movement
  - What about NFC?
- Explaining  $\text{May } (A \vee B) \models \text{May } A \wedge \text{May } B$ :
  - 1  $\text{May } \phi$  sensitive to  $\text{alt}_s(\phi)$ 's (Simons 2005; Aloni 2007)
    - $\text{alt}_s(\phi) := \{a \mid a^{\pi_i} \in S[\phi]\}$
  - 2  $\text{alt}_0(A \vee B) = \{W_A, W_B\}$
  - 3  $\text{May } \phi$  tests for each  $s^\pi \in S$  that each  $a \in \text{alt}_{\{s^\pi\}}(\phi)$  is compatible w/ $R_\pi$ -best worlds
- This renders  $\text{May } A \vee \text{May } B$  and  $\text{May } (A \vee B)$  equivalent

# Explaining Dual Prohibition

Expressive Negation!

## Dual Prohibition (DP)

$\neg \text{May } (A \vee B) \Rightarrow \neg \text{May } A \wedge \neg \text{May } B$   
(Alonso-Ovalle 2006; Fox 2007)

## Expressive Negation (Starr 2016)

$S[\neg\phi]$ : for each substate  $s^\pi \in S$ ,

- Eliminate worlds that would survive in  $\{s^\pi\}[\phi]$
- Remove preference from  $\pi$  that  $\phi$  would add to  $\mathbf{I}$

# Prohibition Dynamics

When Prohibition Fails




Figure:  $0[\text{May } A]$

- $0[\text{May } A][\neg\text{May } A] = ?$

# Prohibition Dynamics

When Prohibition Fails




Figure: First Step Toward  $0[\text{May } A][\neg\text{May } A]$

# Prohibition Dynamics

When Prohibition Fails




Figure:  $0[\text{May } A][\neg\text{May } A]$

# Explaining Dual Prohibition

Expressive Negation!

## Dual Prohibition (DP)

$$\neg\text{May } (A \vee B) \Rightarrow \neg\text{May } A \wedge \neg\text{May } B$$

(Alonso-Ovalle 2006; Fox 2007)

- One way to test for this is to see whether just  $\neg\text{May } A \models \neg\text{May } (A \vee B)$
- That validity would indicate that  $\neg\text{May } (A \vee B)$  has weak reading akin to  $\neg\text{May } A \vee \neg\text{May } B$
- $\neg\text{May } A \not\models \neg\text{May } (A \vee B)$  in this system because of **expressive negation**

# Prohibition Dynamics

A State that Supports  $\neg\text{May } A$




Figure:  $\neg A$  Required

- Update w/ $\neg\text{May } A$ :
  - Update state w/ $\text{May } A$  fails giving information  $\emptyset$ 
    - $W - \emptyset = W$
  - No A-preferences to remove




Figure: Updating state that will support  $\neg\text{May } A$  w/ $\neg\text{May } (A \vee B)$

- Update w/ $\neg\text{May } (A \vee B)$ :
  - Updating state w/ $\text{May } (A \vee B)$  tests that *both* alt's are compatible w/ $\neg A(R_I)$ -best worlds
    - A-alternative is not
    - Giving  $\emptyset$ , and  $W - \emptyset = W$
  - Remove permissive preferences  $\text{May } (A \vee B)$  would add
    - Namely  $aB > Ab$

## Dual Prohibition

Predicted Semantically




Figure: Updating state that will support  $\neg\text{May } A$  w/ $\neg\text{May } (A \vee B)$

- Update w/ $\neg\text{May } (A \vee B)$ :
  - Updating state w/ $\text{May } (A \vee B)$  tests that *both* alt's are compatible w/ $\neg A(R_I)$ -best worlds
    - A-alternative is not
    - Giving  $\emptyset$ , and  $W - \emptyset = W$ , so no effect here...
  - Remove permissive preferences  $\text{May } (A \vee B)$  would add
    - Namely  $aB > Ab$

- Key components
  - Expressive negation
  - Consequence relation that tracks changes to  $\pi$
- This semantics thereby predicts:
  - Non-classical behavior above/below disjunction
  - Classical behavior re-emerges under negation

# Resource Sensitivity

With Fresh Eyes

## Resource Sensitivity (RS)

- ①  $\text{May}(A \vee B) \not\Rightarrow \text{May}(A \wedge B)$
- ②  $\text{May}(A \vee B) \not\Rightarrow \neg \text{May}(A \wedge B)$
- ③  $\text{May}(A \vee B), A \not\Rightarrow \text{May} B$
- ④  $\text{May}(A \wedge B) \not\Rightarrow \text{May} A, \text{May} B$
- ⑤  $\neg \text{Must} \neg A \not\Rightarrow \text{May} A$

# Getting Defeated

By Ignorance and Rudeness

- Explanation of *but I won't tell you which* or *but I don't know which* follow ups?
- *I won't tell you which* [permissions hold]
- *which* picks up on two salient division of substates
  - Says only one holds
  - Induces convey higher-order uncertainty about what state should be
- $S = \{s_1^{\pi_1}, \dots, s_n^{\pi_n}, s_1^{A(\pi_1)}, \dots, s_n^{A(\pi_n)}, s_1^{B(\pi_1)}, \dots, s_n^{B(\pi_n)}\}$ 
  - $S = \{s_1^{\pi_1}, \dots, s_n^{\pi_n}, s_1^{A(\pi_1)}, \dots, s_n^{A(\pi_n)}\} \not\models \text{May} B$
  - $S = \{s_1^{\pi_1}, \dots, s_n^{\pi_n}, s_1^{B(\pi_1)}, \dots, s_n^{B(\pi_n)}\} \not\models \text{May} A$
- Consequence holds only if it holds on all resolutions of the uncertainty. (Van Fraassen 1966; Stalnaker 1981)

# Conclusion

What's Done and What's Not-so-done

## Done

- ① Semantically explain wide and narrow FCP
- ② Semantically explain Dual Prohibition
  - Relying crucially on expressive negation and practical consequence
- ③ Semantically explain resource sensitivity effects
- ④ Sketch of how ignorance/uncooperativity defeat free choice through higher-order uncertainty

## Not Done

- Account for wide variety of free choice effects in wide variety of constructions bearing no superficial resemblance to permission

# References I

- AHER, M (2012). 'Free Choice in Deontic Inquisitive Semantics (DIS).' In M ALONI, V KIMMELMAN, F ROELOFSEN, GW SASSOON, K SCHULZ & M WESTERA (eds.), *Logic, Language and Meaning: 18th Amsterdam Colloquium, Amsterdam, The Netherlands, December 19-21, 2011, Revised Selected Papers*, vol. 7218 of *Lecture Notes in Computer Science*, chap. Free Choice in Deontic Inquisitive Semantics (DIS), 22–31. Berlin: Springer. URL [http://dx.doi.org/10.1007/978-3-642-31482-7\\_3](http://dx.doi.org/10.1007/978-3-642-31482-7_3).
- ALONI, M (2007). 'Free Choice, Modals and Imperatives.' *Natural Language Semantics*, **15**(1): 65–94. URL <http://dx.doi.org/10.1007/s11050-007-9010-2>.
- ALONSO-OVALLE, L (2006). *Disjunction in Alternative Semantics*. Ph.D. thesis, UMass Amherst, Amherst, MA. URL <http://semanticsarchive.net/Archive/TVkY2Z1M/>.
- ASHER, N & BONEVAC, D (2005). 'Free Choice Permission Is Strong Permission.' *Synthese*, **145**(3): pp. 303–323. URL <http://www.jstor.org/stable/20118599>.
- BARKER, C (2010). 'Free choice permission as resource-sensitive reasoning.' *Semantics and Pragmatics*, **3**(10): 1–38. URL <http://dx.doi.org/10.3765/sp.3.10>.

## References II

- BROOKS, RA (1991). 'Intelligence without Representation.' *Artificial Intelligence*, **47(1-3)**: 139-159.
- FOX, D (2007). 'Free Choice Disjunction and the Theory of Scalar Implicature.' In U SAUERLAND & P STATEVA (eds.), *Presupposition and implicature in compositional semantics*, 71-120. New York: Palgrave Macmillan.
- FRANKE, M (2009). *Signal to Act: Game Theory in Pragmatics*. Ph.D. thesis, ILLC, University of Amsterdam, Amsterdam.
- FREGE, G (1923). 'Logische Untersuchungen.' *Beiträge zur Philosophie des deutschen Idealismus*, **3**: 36-51. References to Frege (1963).
- FREGE, G (1963). 'Compound Thoughts.' *Mind*, **72(285)**: 1-17. Translation of Frege (1923)., URL <http://www.jstor.org/stable/2251920>.
- GEURTS, B (2005). 'Entertaining Alternatives: Disjunctions as Modals.' *Natural Language Semantics*, **13(4)**: 383-410. URL <http://dx.doi.org/10.1007/s11050-005-2052-4>.
- GIBBARD, A (1986). 'An Expressivistic Theory of Normative Discourse.' *Ethics*, **96(3)**: 472-85.
- KAMP, H (1973). 'Free Choice Permission.' *Proceedings of the Aristotelian Society*, **74**: 57-74. URL <http://www.jstor.org/stable/4544849>.

## References III

- KAMP, H (1978). 'Semantics Versus Pragmatics.' In F GUENTHNER & S SCHMIDT (eds.), *Formal Semantics and Pragmatics for Natural Languages*, 255-287. Dordrecht: D. Reidel Pub. Co.
- LEWIS, DK (1979). 'A Problem about Permission.' In E SAARINEN, R HILPINEN, I NIINLUOTO & MP HINTIKKA (eds.), *Essays in Honour of Jaakko Hintikka*. Dordrecht: D. Reidel Pub. Co.
- MINSKY, M (1985). *The Society of Mind*. New York: Simon and Schuster.
- VAN ROOIJ, R (2000). 'Permission to Change.' *Journal of Semantics*, **17(2)**: 119-143. URL <http://dx.doi.org/10.1093/jos/17.2.119>.
- VAN ROOIJ, R (2010). 'Conjunctive Interpretation of Disjunction.' *Semantics and Pragmatics*, **3(11)**: 1-28. URL <http://dx.doi.org/10.3765/sp.3.11>.
- SILK, A (2014). 'How to Be an Ethical Expressivist.' *Philosophy and Phenomenological Research*, n/a-n/a. URL <http://dx.doi.org/10.1111/phpr.12138>.
- SIMONS, M (2005). 'Dividing things up: The semantics of or and the modal/or interaction.' *Natural Language Semantics*, **13(3)**: 271-316. URL <http://dx.doi.org/10.1007/s11050-004-2900-7>.

## References IV

- STALNAKER, RC (1981). 'A Defense of Conditional Excluded Middle.' In WL HARPER, R STALNAKER & G PEARCE (eds.), *Ifs: Conditionals, Belief, Decision, Chance, and Time*, 87-104. Dordrecht: D. Reidel Publishing Co.
- STALNAKER, RC (1999). *Context and Content: Essays on Intentionality in Speech and Thought*. Oxford: Oxford University Press.
- STARR, WB (2016). 'Dynamic Expressivism about Deontic Modality.' In N CHARLOW & M CHRISMAN (eds.), *Deontic Modality*. New York: Oxford University Press.
- VAN FRAASSEN, BC (1966). 'Singular Terms, Truth-Value Gaps and Free Logic.' *Journal of Philosophy*, **3**: 481-495.
- VELTMAN, F (1996). 'Defaults in Update Semantics.' *Journal of Philosophical Logic*, **25(3)**: 221-261. URL <http://dx.doi.org/10.1007/BF00248150>.
- VON WRIGHT, GH (1968). 'Deontic Logic and the Theory of Conditions.' *Crítica: Revista Hispanoamericana de Filosofía*, **2(6)**: pp. 3-31. URL <http://www.jstor.org/stable/40103910>.
- WILLER, M (2015). 'Simplifying Counterfactuals.' In T BROCHHAGEN, F ROELOFSEN & N THEILER (eds.), *Proceedings of the 20th Amsterdam Colloquium*, 428-437. Amsterdam: ILLC. URL <http://semanticsarchive.net/Archive/mVk0Tk2N/AC2015-proceedings.pdf>.

## References V

- ZIMMERMANN, TE (2000). 'Free Choice Disjunction and Epistemic Possibility.' *Natural Language Semantics*, **8(4)**: 255-290. URL <http://dx.doi.org/10.1023/A%3A1011255819284>.